

3040 PRESSURE TRANSMITTER MODEL:3040



Features & Benefits

Adopting explosion proof shell All stainless steel construction LCD display

Low power, long term stability

Anti-jamming design, approved for hazardous environments

Descriptions

3040 Series industrial pressure transmitter adopts cast aluminum shell, amplified circuit linearization disposal and smart profile. It is suitable for measuring and controlling the pressure of the equipment of petroleum, chemical industry, metallurgy, pharmacy, foodstuff and vintage and so on.

Specifications

Ranges: -100KPa~0Kpa~2500bar

Output: 3.33mV/V; 4/20mA; 0~5V; 0~10V Input voltage: 10Vdc; 24Vdc (10~36Vdc)

Combined error: $\pm 0.25\%$ FS; $\pm 0.5\%$ FS; $\pm 1.0\%$ FS

Explosion protection rating: Exira II CT4


Operating temperature: -40°C~125°C

 $(104^{0}F\sim257^{0}F)$

Over pressure: 1.5×FS

Process connection: G1/4; 1/4NPT; M20×1.5 or

customized



Dimensions:

www.ritherm.com



Models	Lead	Color	6PIN	
Output:	Signal +	Blue	Α	F OA O
0-5V; 0-10V	Signal -	Green	В	4/6 %\\
3040 Series	Excitation +	Red	С	E _O O
	Excitation -	Yellow	D	
Models	Lead	Color	6PIN	
Output: 4-20mA 3040 Series	Excitation +/ Signal + Excitation -/	Red	А	E DO CO
0040 Genes	Signal -	Black	В	
Models	Lead	Color	4PIN	
Output:	Excitation +	Red	1	3
0-5V; 0-10V	Signal +	Blue	2	([~ () -))
DIN43650 3040 Series	Excitation -/ Signal -	White	3	
Models	Lead	Color	4 PIN	
Output:4-20mA Hirschmann	Excitation +/ Signal +	Red	1	$(\sim \bigcirc -)$
DIN43650 3040 Series	Excitation -/ Signal -	Black	2	(SP) (F)
Models	Lead	Color	4PIN	
Output:	Excitation +	Red	1	
0-5V; 0-10V	Signal +	Blue	3	$\left(\begin{pmatrix} 20 & 04 \\ 30 \end{pmatrix} \right)$
M12 × 1	Excitation -/			
3040 Series	Signal -	White	4	
Models	Lead	Color	4 PIN	
Output:	Excitation +/			(b)
4-20mA	Signal +	Red	1	((20 04)))
M12 × 1	Excitation -/			
3040 Series	Signal -	Black	3	
Models	Lead	Color		
Output:	Signal +	Blue		
0-5V; 0-10V	Signal -	Green/White		
Cable	Excitation +	Red		
3040 Series	Excitation -	Yellow		
Models	Lead Excitation +/	Color		
	Voitation 1/	Ded		
Output:			_1	
4-20mA	Signal +	Re	d	
		Re Bla		

II2 www.ritherm.com